

SKU: GV4655

-  VOLT Cast Iron Gate Valve PN16 DIN 3202-F4
-  VOLT Cast Iron Gate Valve PN16 DIN 3202 -F4
-  VOLT Cast Iron Gate Válvula PN16 DIN 3202 - F4
-  VOLT Cast Iron Gate Valve PN16 DIN 3202 - F4

Valves[™]
O N L I N E

- 11/2" - 12" Cast Iron Gate Valve – Metal Seat
- 11/2" - 12" Cast Iron Gate Valve - Metallsitz
- 11/2" - 12" Reparto de la válvula Puerta de Hierro - Metal Asiento
- 11/2" - 12" Cast Iron Gate Valve - siège métallique

Cast Iron Gate Valve Conforms to DIN 3202-F4 PN16



- **PN16 Flanged with Shorter face to face**
- **European Standard**
- **Cost Efficient**

Cast Iron Gate Valve Flanged PN16 and Conforms to DIN3202 F4 Standard, Cast Brass Trim, Stainless Steel Stem, Inside Screw, Non Rising Stem, Temperature -10°C to 120°C.



Description

A PN16 Flanged Cast Iron Gate Valve that conforms to DIN3202-F4. The valve has a Metal seat inside screw and non rising stainless steel stem. The valve offers economy and space saving.

Pressure 16 Bar

Temperature -10°C to 120°C.



Beschreibung

A PN16 Flansch Cast Iron Gate Valve , die DIN3202 -F4 entspricht . Das Ventil hat einen MetallsitzInnenschraubeund nicht steigende Edelstahlspindel . Das Ventil bietet Volkswirtschaft und platzsparend.

Druck 16 bar

Temperatur -10 ° C bis 120 ° C .



Descripción

Un moldeada PN16 con bridas Válvula de compuerta de hierro que se ajusta a DIN3202 - F4 . La válvula tiene un asiento de metal en el interior del tornillo y el vástago de acero inoxidable no naciente. La válvula ofrece economía y ahorro de espacio .

Presión 16 Bar

Temperatura -10°C a 120°C .



Description

Un Moulage PN16 bride Iron Gate Valve qui est conforme à DIN3202 - F4 . La soupape a un siège de métal à l'intérieur vis et tige montante en acier non inoxydable. La vanne offre économie et gain de place .

Pression 16 bar

Température -10°C à 120°C .

-  VOLT Cast Iron Gate Valve PN16 DIN 3202-F4
-  VOLT Cast Iron Gate Valve PN16 DIN 3202 -F4
-  VOLT Cast Iron Gate Válvula PN16 DIN 3202 - F4
-  VOLT Cast Iron Gate Valve PN16 DIN 3202 - F4


Cast Iron Gate Valve PN16 -DIN

Pressure/Temperature

Pressure	PN16
Temperature	10°C to 120°C

MATERIAL LIST

Body	Cast Iron
Wedge	Cast Iron
Body Trim	Brass
Wedge Trim	Brass
Stem Nut	Brass
Stem	Stainless Steel
Bonnet	Cast Iron
O-Ring	EPDM
Gland	Cast Iron
Gasket	Graphite
Handwheel	Cast Iron



DIMENSIONS

SIZE	L	H	D	Kg
1 1/2"	140	230	140	10
2"	150	210	140	11.8
2 1/2"	170	230	160	15
3"	180	265	160	19
4"	190	303	185	27
5"	200	375	200	35
6"	210	430	240	50
8"	230	524	240	60
10"	250	650	360	218
12"	270	740	360	228